

Physician Documentation Stars Measures

#	Description	Required Documentation	Special Instructions	Stars Measures targets
<b>Staying Healthy: Screenings, Tests and Vaccines</b>				
CO1 **	Screening Mammography for females 40-69	<ol style="list-style-type: none"> <li>Self-report</li> <li>Mammography ordered                             <ol style="list-style-type: none"> <li>Results in chart</li> <li>Communication with patient</li> <li>Exclusions</li> </ol> </li> </ol>	Exclusions: <ol style="list-style-type: none"> <li>Bilateral mastectomy.</li> <li>Unilateral mastectomies.</li> </ol>	<ul style="list-style-type: none"> <li>4 Star &gt;74% to &lt;78.5%</li> <li>4.5 Star &gt;78.5 to 83%</li> <li>5 Star &gt;83%</li> </ul>
CO2 **	Colorectal Screening ages 50-75 every 12 months	<ol style="list-style-type: none"> <li>Fecal occult blood, or</li> <li>Sigmoidoscopy in last 4 years, or</li> <li>Colonoscopy in last 9 years</li> </ol>	Exclusion: <ol style="list-style-type: none"> <li>Diagnosis of colorectal cancer or total colectomy</li> </ol>	<ul style="list-style-type: none"> <li>4 Star &gt;58 to &lt;62.5%</li> <li>4.5 Star &gt;62.5 to &lt;67%</li> <li>5 Star &gt;67%</li> </ul>
CO3 **	Heart Disease patients with Cholesterol Screening , LDL-C every year	<ol style="list-style-type: none"> <li>LDL-C &lt;100mg/dL                             <ol style="list-style-type: none"> <li>Plan to maintain</li> </ol> </li> <li>LDL-C ≥100mg/dL                             <ol style="list-style-type: none"> <li>Statin use</li> <li>Plan of care to decrease</li> </ol> </li> </ol>	No Exclusions	<ul style="list-style-type: none"> <li>4 Star &gt;85 to &lt;87.5%</li> <li>4.5 Star &gt;87.5 to &lt;89%</li> <li>5 Star &gt;89%</li> </ul>
CO4 **	Diabetics with Cholesterol Screening ; LDL-C every year	<ol style="list-style-type: none"> <li>LDL-C &lt;100mg/dL                             <ol style="list-style-type: none"> <li>Plan to maintain</li> </ol> </li> <li>LDL-C ≥100mg/dL                             <ol style="list-style-type: none"> <li>Statin use</li> <li>Plan of care to decrease</li> <li>Referral to specialist</li> <li>Education</li> </ol> </li> <li>Exclusion</li> </ol>	Exclusions: <ul style="list-style-type: none"> <li>Gestational diabetes</li> <li>Steroid-induced diabetes with no face-to-face encounter of any type during or before the measurement year.</li> <li>Polycystic ovaries with no face-to-face encounter of any type, during or before the measurement year.</li> </ul>	<ul style="list-style-type: none"> <li>4 Star &gt;85 to &lt;87.5%</li> <li>4.5 Star &gt;87.5 to &lt;90%</li> <li>5 Star &gt;90%</li> </ul>
CO5	Glaucoma Testing every year	<ol style="list-style-type: none"> <li>Eye exam documented</li> <li>Referral for test</li> </ol>	Exclusion: <ol style="list-style-type: none"> <li>Prior dx of glaucoma</li> </ol>	<ul style="list-style-type: none"> <li>4 Star &gt;70 to &lt;72%</li> <li>4.5 Star &gt;72 to &lt;74%</li> <li>5 Star &gt;74%</li> </ul>
CO6 **	Annual Flu Vaccine	<ol style="list-style-type: none"> <li>Flu shot administered</li> <li>Self- report of taking flu shot</li> <li>Medical reasons for not giving</li> </ol>	Exclusion: <ol style="list-style-type: none"> <li>Allergy to vaccine agent</li> <li>Previous history of complications after receiving flu shot</li> </ol>	<ul style="list-style-type: none"> <li>4 Star &gt;71 to &lt;73%</li> <li>4.5 Star &gt;73 to &lt;75%</li> <li>5 Star &gt;75%</li> </ul>

Physician Documentation Stars Measures

C07	Improving/ Maintaining Physical Health	Members whose physical health was the same or better than expected after 2 years	Exclusion: 1. HOS 2. Not documentation measure	<ul style="list-style-type: none"> <li>4 Star &gt;60 to &lt;63%</li> <li>4.5 Star &gt;63 to &lt;66%</li> <li>5 Star &gt;66%</li> </ul>
C08	Improving or Maintaining Mental Health	% of plan members with the same or better mental health after 2 years	Exclusion: 1. HOS 2. Not documentation measure	<ul style="list-style-type: none"> <li>4 Star &gt;85to &lt;85.5%</li> <li>4.5 Star &gt;85.5 to &lt;86%</li> <li>5 Star &gt;86%</li> </ul>
C09	Physical activity evaluation every year	1. Physical activity assessed 2. Actions taken to counsel to increase activity	Exclusion: 1. None	<ul style="list-style-type: none"> <li>4 Star &gt;60 to &lt;61%</li> <li>4.5 Star &gt;61 to &lt;62%</li> <li>5 Star &gt;62%</li> </ul>
C10	BMI	1. Normal BMIs no follow-up 2. Follow-up for $\leq 23$ , nutrition intervention 3. Follow-up for $\geq 30$ exercise, diet counseling 4. Exclusions	Exclusion: 1. Medical Reason 2. Patient Reason 3. System Reason	<ul style="list-style-type: none"> <li>4 Star &gt;61to &lt;70.5%</li> <li>4.5 Star &gt;70.5 to &lt;80%</li> <li>5 Star &gt;80%</li> </ul>
<b>Managing Chronic Long-Term Conditions</b>				
C14	Osteoporosis assessment for females with a broken bone over 50 years old	1. Osteoporosis screening after broken bone 2. Treatment when osteoporosis identified within six months	N/A	<ul style="list-style-type: none"> <li>4 Star &gt;60 to &lt;63.5%</li> <li>4.5 Star &gt;63.5 to &lt;67%</li> <li>5 Star &gt;67%</li> </ul>
C15	Diabetic eye exam every year	1. Retinal eye exam	Exclusions: None	<ul style="list-style-type: none"> <li>4 Star &gt;64 to &lt;72.5%</li> <li>4.5 Star &gt;72.5 to &lt;81%</li> <li>5 Star &gt;81%</li> </ul>
C16	Diabetic microalbumin every year	1. Testing for microalbumin 2. Normal, no follow up 3. Abnormal, follow up	Exclusions: None	<ul style="list-style-type: none"> <li>4 Star &gt;85 to &lt;87.5%</li> <li>4.5 Star &gt;87.5 to &lt;90%</li> <li>5 Star &gt;90%</li> </ul>
C17	Diabetic HbA1C every year	1. A1C results < 8, no follow up 2. A1C results $\geq 8$ a. Follow-up b. Counseling with follow up c. Referral to education d. Referral to specialist	Exclusions: Medical reason, i.e., polycystic ovaries, steroid induced or gestational diabetes	<ul style="list-style-type: none"> <li>4 Star &gt;80 to &lt;84%</li> <li>4.5 Star &gt;84 to &lt;88%</li> <li>5 Star &gt;88%</li> </ul>

Physician Documentation Stars Measures

C18 **	Diabetics with controlled LDL-C <100mg/dL every year	<ol style="list-style-type: none"> <li>1. LDL &lt;100mg/dL, no follow up</li> <li>2. LDL ≥100mg/dL               <ol style="list-style-type: none"> <li>a. Follow up</li> <li>b. Counseling with follow up visit</li> <li>c. Referral to education</li> <li>d. Referral to specialist</li> </ol> </li> </ol>	Exclusions: Medical reason, i.e., polycystic ovaries, steroid induced or gestational diabetes	<ul style="list-style-type: none"> <li>• 4 Star &gt;53 to &lt;56.5%</li> <li>• 4.5 Star &gt;56.5 to &lt;60%</li> <li>• 5 Star &gt;60%</li> </ul>
C19 **	Hypertensives with controlled BP every year	<ol style="list-style-type: none"> <li>1. Normal BP &lt;140/90</li> <li>2. Abnormal BP ≥140/90               <ol style="list-style-type: none"> <li>a. Follow up</li> <li>b. Medication review and adjustment</li> <li>c. Referral for education</li> <li>d. Referral to specialist</li> </ol> </li> <li>3. Exclusions</li> </ol>	Exclusions: 1. Medical reason, i.e., ESRD 2. Pregnancy	<ul style="list-style-type: none"> <li>• 4 Star &gt;63 to &lt;66.5%</li> <li>• 4.5 Star &gt;66.5 to &lt;70%</li> <li>• 5 Star &gt;70%</li> </ul>
C20	Rheumatoid arthritis management	<ol style="list-style-type: none"> <li>1. One or more anti-rheumatic drug</li> </ol>	Exclusion: 1. HIV 2. Pregnancy	<ul style="list-style-type: none"> <li>• 4 Star &gt;78 to &lt;82%</li> <li>• 4.5 Star &gt;82 to &lt;86%</li> <li>• 5 Star &gt;86%</li> </ul>
C21	Urinary incontinence management	<ol style="list-style-type: none"> <li>1. Urinary incontinence identified on problem list or assessment               <ol style="list-style-type: none"> <li>a. Medication</li> <li>b. Bladder training</li> <li>c. Exercises</li> <li>d. Surgery</li> </ol> </li> </ol>	Exclusions: None Treatment initiated within six months of identification of problem	<ul style="list-style-type: none"> <li>• 4 Star &gt;60 to &lt;65.5%</li> <li>• 4.5 Star &gt;65.5 to &lt;71%</li> <li>• 5 Star &gt;71%</li> </ul>
C22 **	Screened for fall risks every year	<ol style="list-style-type: none"> <li>1. Patient report of fall or gait problems               <ol style="list-style-type: none"> <li>a. ≥2 requires follow up</li> </ol> </li> <li>2. Exclusions</li> </ol>	Exclusions: 1. Bedridden 2. Seizure patients 3. Paralysis	<ul style="list-style-type: none"> <li>• 4 Star &gt;59 to &lt;63%</li> <li>• 4.5 Star &gt;63 to &lt;67%</li> <li>• 5 Star &gt;67%</li> </ul>
C23 **	All conditions readmissions within 30 days of discharge	The number of readmissions within 30 days of discharge	N/A	<ul style="list-style-type: none"> <li>• 4 Star &gt;7 to &lt;11%</li> <li>• 4.5 Star &gt;3 to &lt;7 %</li> <li>• 5 Star &lt;3%</li> </ul>
<b>Medications Requirements</b>				
D14	% of members that receive high risk drugs	<ol style="list-style-type: none"> <li>1. Any of the high risk drugs that have safer alternatives will be counted against the Plan</li> <li>2. Refer to the Pharmacy Quality Alliance.</li> </ol>	Exclusions: None	<ul style="list-style-type: none"> <li>• 4 Star &lt;8.1 to &gt;7.35 %</li> <li>• 4.5 Star &lt;7.35 to &gt;6.6 %</li> <li>• 5 Star &lt;6.6%</li> </ul>

Physician Documentation Stars Measures

D15 **	% of Diabetics with hypertension on RAS, ACE ARB or DRI.			<ul style="list-style-type: none"> <li>• 4 Star &gt;83 to &lt;83.55%</li> <li>• 4.5 Star &gt; 83.55 to &lt;84.1%</li> <li>• 5 Star &gt;84.1%</li> </ul>
D16	Diabetics on appropriate drug protocols			<ul style="list-style-type: none"> <li>• 4 Star &gt;77.3 to &lt;78.45%</li> <li>• 4.5 Star &gt;78.45 to &lt;79.6%</li> <li>• 5 Star &gt;79.6%</li> </ul>
D17 **	% of hypertensive that are adhering to their medication regimen.			<ul style="list-style-type: none"> <li>• 4 Star &gt;76.5 to &lt;78.1%</li> <li>• 4.5 Star &gt;78.1 to &lt;79.7%</li> <li>• 5 Star &gt;79.7%</li> </ul>
D18 **	% of members on statin cholesterol medication adhere to their drug therapy			<ul style="list-style-type: none"> <li>• 4 Star &gt;71.6 to &lt;73.5%</li> <li>• 4.5 Star &gt;73.5 to &lt;75.4%</li> <li>• 5 Star &gt;75.4%</li> </ul>

\*\* Measures that are duplicated for MSSP